

## Combination Louver/Damper Drainable Blade

### **Application and Design**

VACC-4 is a combination louver/damper designed to protect air intake and exhaust openings in building exterior walls that, at times, require tight air shut off. Design incorporates a drainable head member, drainable stationary blades and operable blades. When the operable blades are open, airflow is permitted through the louver, when the blades are closed, a tight seal is created to prevent the passage of air. The VACC-4 is an extremely efficient louver tested in accordance with AMCA 500-L air performance and water penetration enabling designers to select and apply with confidence.

#### **Standard Construction**

Frame .......Heavy gauge extruded 6063-T5 aluminum,

4 in. x 0.125 in. nominal wall thickness

Blades......Drainable design, heavy gauge extruded

6063-T5 aluminum, 0.081 in. nominal wall thickness, positioned at 45° angles on approximately 4 in. centers

Seals . . . . . . . . . Dual-durometer extruded vinyl blade seals

Compressible stainless steel jamb seals

**Temperature** 

**Restrictions**. . . . (-20° F) - (+180°F)

**Linkage** . . . . . . Side linkage, out of airstream (concealed in frame)

Bearings . . . . . . Synthetic sleeve type

Axles . . . . . . . ½ in. dia. zinc plated steel

Construction . . . Mechanically fastened

Birdscreen. . . . . 3/4 in. x 0.051 in. flattened expanded aluminum in

removable frame, inside mount (rear)

Finish......Mill

Minimum Size..12 in. W x 12 in. H

Maximum Single

Section Size ... 60 in. W x 96 in. H

#### **Options** (at additional cost)


- A variety of bird and insect screens
- A variety of electric, pneumatic or manual actuators
- Clip angles
- Extended sill
- Filter rack
- Flanged frame
- Glazing adaptor
- Hinged frame
- Security bars
- A variety of architectural finishes including:


Clear anodize

Integral color anodize

Baked enamel paint

Kynar paint






# Aluminum Combination Louver/Damper Concealed Linkage


### Free Area Chart (Sq. ft.)

Louver	Louver Width in Inches													
Height Inches	12	15	18	21	24	27	30	33	36	39	42	48	54	60
12	0.12	0.16	0.20	0.24	0.28	0.32	0.36	0.40	0.44	0.48	0.51	0.59	0.67	0.75
18	0.27	0.36	0.44	0.53	0.62	0.70	0.79	0.88	0.96	1.05	1.14	1.31	1.49	1.66
21	0.42	0.55	0.68	0.82	0.95	1.09	1.22	1.36	1.49	1.63	1.76	2.03	2.30	2.57
27	0.56	0.74	0.93	1.11	1.29	1.47	1.66	1.84	2.02	2.20	2.38	2.75	3.11	3.48
30	0.71	0.94	1.17	1.40	1.63	1.86	2.09	2.32	2.55	2.78	3.01	3.47	3.93	4.39
36	0.86	1.13	1.41	1.69	1.97	2.24	2.52	2.80	3.08	3.35	3.63	4.19	4.74	5.29
39	1.00	1.33	1.65	1.98	2.30	2.63	2.95	3.28	3.60	3.93	4.25	4.90	5.55	6.20
45	1.15	1.52	1.89	2.27	2.64	3.01	3.39	3.76	4.13	4.50	4.88	5.62	6.37	7.11
48	1.30	1.72	2.14	2.56	2.98	3.40	3.82	4.24	4.66	5.08	5.50	6.34	7.18	8.02
54	1.44	1.91	2.38	2.85	3.31	3.78	4.25	4.72	5.19	5.65	6.12	7.06	7.99	8.93
60	1.74	2.30	2.86	3.43	3.99	4.55	5.12	5.68	6.24	6.81	7.37	8.49	9.62	10.75
72	2.03	2.69	3.35	4.01	4.66	5.32	5.98	6.64	7.30	7.96	8.61	9.93	11.25	12.57
78	2.32	3.08	3.83	4.58	5.34	6.09	6.85	7.60	8.35	9.11	9.86	11.37	12.88	14.38
90	2.62	3.47	4.32	5.16	6.01	6.86	7.71	8.56	9.41	10.26	11.11	12.80	14.50	16.20
96	2.91	3.86	4.80	5.74	6.69	7.63	8.58	9.52	10.46	11.41	12.35	14.24	16.13	18.02

#### **Air Leakage** (with damper section closed) Test size 48 in. x 48 in.




## Airflow Resistance (Standard Air - .075 lb/ft3)



Model VACC-4 resistance to airflow (pressure drop) varies depending on louver application (air intake or air exhaust). Free area velocities (shown) are higher than average velocity through the overall louver size. See louver selection information (Test Figure 5.5).

## Water Penetration (Standard Air - .075 lb/ft³) Test size 48 in. x 48 in. Test duration of 15 min.




The AMCA Water Penetration Test provides a method for comparing various louver models and designs as to their efficiency in resisting the penetration of rainfall under specific laboratory test conditions. The beginning point of water penetration is defined as that velocity where the water penetration curve projects through .01 oz. of water (penetration) per sq. ft. of louver free area. \*The beginning point of water penetration for Model VACC-4 is 1192 fpm free area velocity. These performance ratings do not guarantee a louver to be weatherproof or stormproof and should be used in combination with other factors including good engineering judgement in selecting louvers.



#### **Maximum Size and Installation Information**

Aluminum Combination Louver/Damper Concealed Linkage

The maximum single section size for the VACC-4 is 60 in. W x 96 in. H. Larger openings require field assembly of multiple louver sections to make up the overall opening size. Individual louver sections are designed to withstand a 25 PSF wind load (please consult Venco if the louvers must withstand higher wind-loads). Structural reinforcing members may be required to adequately support and install multiple louver sections within a large opening. Structural reinforcing members along with any associated installation hardware is not provided by Venco unless indicated otherwise by Venco. Options and accessories including, but not limited to, screens, filter racks, louver doors, and blank off panels are not subject to structural analysis unless indicated otherwise by Venco.




Minimum Single Section Size 12 in. W x 12 in. H

Maximum Single Section Size 60 in. W x 96 in. H




**Aluminum Combination Louver/Damper Concealed Linkage** 





Aluminum Combination Louver/Damper Concealed Linkage



## **FINISHES**

Finish Type	Description/Application	Color Selection	Standard Warranty (Aluminum)	
AAMA 2605 100% Fluoropolymer (FEVE) 2-Coat 70% Kynar® (PVDF) 3-Coat 70% Kynar® (PVDF) 4-Coat 70% Kynar® (PVDF)	"Best." The premier finish for extruded aluminum. Tough, long-lasting coating has superior color retention and abrasive properties. Resists chalking, fading, chemical abrasion and weathering.	Standard Colors: Any of the 27 standard colors shown can be furnished in 70% or 50% Kynar®, 100% Fluoropolymer or Baked Enamel.	10 Years (Consult Venco for availabiliy of extended warranty)	
AAMA 2604 50% Kynar® / Acroflur®	"Better." Tough, long-lasting coating has excellent color retention and abrasive properties. Resists chalking, fading, chemical abrasion and weathering.	Mica Colors:  Venco offers 6 standard Mica colors for 70% Kynar® or 100% Fluoropolymer.  Custom Colors:	5 Years	
AAMA 2603 Baked Enamel	"Good." Provides good adhesion and resistance to weathering, corrosion and chemical stain.	Custom color matching is available. Consult your Venco representative for cost and/or lead-time implications if a custom color is required.	1 Year	
AA-M10C22A42 Integral Color Anodize	"Two-step" anodizing is produced by following the normal anodizing step with a second, colorfast process.	Light, Medium, Dark or Extra Dark Bronze; Champagne; Black	5 years	
AA-M10C22A41 Clear Anodize 215 R-1	Clear, colorless and hard oxide aluminum coating that resists weathering and chemical attack.	Clear	5 years	
AA-M10C22A31 Clear Anodize 204	Clear, colorless and hard oxide aluminum coating that resists weathering and chemical attack.	Clear	1 Year	
Prime Coat	Louvers or architectural products shall be cleaned, pre-treate painting. Venco does not recommend prime coat or field pain	n/a		
Mill	n/a			

Finishes meet or exceed AAMA 2605, AAMA 2604, and AAMA 2603 requirements. Please consult Venco for complete information on standard and extended paint warranties. Paint finish warranties are not applicable to steel products.



VACC-4 February 2020 Copyright © 2020 Venco